

09/830744

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

BOX PCT
COMMISSIONER OF PATENTS AND TRADEMARKS
WASHINGTON, D.C. 20231


Sir:

Transmitted herewith for filing is the new patent application of ROLANDO BARBUCCI and GIANCARLO SPORTOLETTI constituting the U.S. National Stage of PCT/EP99/08480 filed November 9, 1999 entitled CROSS-LINKING PROCESS OF CARBOXYLATED POLYSACCHARIDES.

Attached are the following documents:

1. English language copy of PCT/EP99/08481 comprising:
 - a. 20 pages of specification
 - b. 2 pages of claims comprising Claims 1-11.
2. Copy of International Search Report
3. Declaration (later)
4. Assignment (later)
5. A Preliminary Amendment
6. A check in the amount of \$860 to cover the filing fee.

Respectfully submitted,



Walter H. Schneider
Attorney for Applicant

19167 Thompson Ridge Rd
Laurelville, Oh. 43135
Tel: 740-332-1049
Fax: 740-332-3023

Atty Dock. 1757

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT : Rolando Barbucci)
 SERIAL NO. :)
 FILING DATE :)
 TITLE : Cross-Linking Process of Carboxy-)
 lated Polysaccharides)

BOX PCT
 COMMISSIONER OF PATENTS AND TRADEMARKS
 WASHINGTON, D.C. 20231

SIR:

PRELIMINARY AMENDMENT


Please amend the attached new patent application as follows:

IN THE CLAIMS:

Please amend the claims as follows:


---3. (Amended) A process according to Claim 1 wherein the carboxy activating agent is selected from carbonyldiimidazole, carbonyltriazole, chloromethylpyridylium iodide (CMP-J), hydroxybenzotriazole, p-nitrophenol p-nitrophenyltrifluoroacetate, and N-hydroxysuccinimide.---

---4. (Amended) A process according to Claim 2 wherein the polyamines have the following general formula:



wherein R_1 and R_2 , which are the same or different, are hydrogen, C_1 - C_6 alkyl, phenyl or benzyl groups, A is a C_2 - C_{10} alkylene chain, preferably a C_2 - C_6 alkylene chain, optionally substituted

by hydroxy, carboxy, halogen, alkoxy, amino groups; a polyoxy-alkylene chain of formula



wherein n is 2 or 3 and m is an interger from 2 to 10; a C₅-C₇ cycloalkyl group; an aryl or hetaryl group, preferably 1,3 or 1,4 disubstituted benzene.---

---5. (Amended) A process according to Claim 4 wherein the polysaccharide is salified with lipophilic cations.---

---7. (Amended) A process according to Claim 4 wherein the cross-linking reaction is carried out in anhydrous dimethylformamide or tetrahydrofuran.---

---8. (Amended) A process according to Claim 4 wherein the obtained cross-linked polyssaccharide is further subjected to sulfation of the hydroxy groups by reaction with pyridine/sulfur trioxide complex.---

---10. (Amended) A process according to Claim 8 wherein the cross-linked, optionally sulfated polysaccharide, is further subjected to complexation reacton with aqueous solutions of copper, zinc or iron ions.---

---11. (Amended) Cross linked polysaccharides obtainable by the process of Claim 4.---


REMARKS

This Preliminary Amendment is submitted in order to conform the claims to U.S. practice by eliminating multiple dependency of claims.

An Abstract page has been submitted for inclusion as a part
of the application.

Entry of the Amendment is respectfully requested.

Respectfully submitted,


A handwritten signature in dark ink, appearing to read "Walter H. Schneider", written in a cursive style.

Walter H. Schneider
Attorney of Record


Tel: 740-332-1049
Atty Dock. 1757

---3. A process according to Claim 1 [or 2] wherein the carboxy activating agent is selected from carbonyldiimidazole, carbonyl-triazole, chloromethylpyridylium iodide (CMP-J), hydroxybenzotriazole, p-nitrophenol p-nitrophenyltrifluoroacetate, and N-hydroxysuccinimide.---

---4. A process according to Claim 2 [any one of claims 1 to 3] wherein the polyamines have the following general formula:



wherein R_1 and R_2 , which are the same or different, are hydrogen, C_1 - C_6 alkyl, phenyl or benzyl groups, A is a C_2 - C_{10} alkylene chain, preferably a C_2 - C_6 alkylene chain, optionally substituted by hydroxy, carboxy, halogen, alkoxy, amino groups; a polyoxy-alkylene chain of formula



wherein n is 2 or 3 and m is an interger from 2 to 10; a C_5 - C_7 cycloalkyl group; an aryl or hetaryl group, preferably 1,3 or 1,4 disubstituted benzene.---

---5. A process according to Claim 4 [any one of claims 1 to 4] wherein the polysaccharide is salified with lipophilic cations.---

---7. A process according to Claim 4 [any one of claims 1 to 7] wherein the cross-linking reaction is carried out in anhydrous dimethylformamide or tetrahydrofuran.---

---8. A process according to Claim 4 [any one of claims 1 to 7] wherein the obtained cross-linked polyssaccharide is further subjected to sulfation of the hydroxy groups by reaction with pyridine/sulfur trioxide complex.---

---10. A process according to Claim 8 [any one of claims 1 to 9] wherein the cross-linked, optionally sulfated polysaccharide, is further subjected to complexation reaction with aqueous solutions of copper, zinc or iron ions.---

---11. Cross linked polysaccharides obtainable by the process of Claim 4 [claims 1 to 10].---

ABSTRACT

A process for the preparation of cross-linked polysaccharides containing carboxy groups. The process comprises a first step of activating the carboxy groups in an anhydrous aprotic solvent and then reacting with a polyamine. The cross-linked polysaccharide may be subjected to sulfonation of the five hydroxy groups.

1. A process for the preparation of cross-linked polysaccharides containing carboxy groups, comprising a first step of activating the carboxy groups in an anhydrous aprotic solvent and then reacting with a polyamine, the cross-linked polysaccharide may be subjected to sulfonation of the five hydroxy groups.

09/830744

"CROSS-LINKING PROCESS OF CARBOXYLATED
POLYSACCHARIDES"

JC18 Rec'd PCT/PTQ 30 APR 2001

5 The present invention refers to a cross-linking process of carboxylated polysaccharides.

10 The process of the invention provides a high degree of reproducibility of the obtained products, in terms of cross-linking degree, homogeneity of the distribution of the cross-linking chains, and chemico-physical characteristics of the products and the technological characteristics of the articles obtained therefrom.

The reproducibility is particularly important for the applications in the medical, pharmaceutical and dermo-cosmetic fields.

15 The invention further refers to the products obtainable by said process and their applications in the medical, pharmaceutical and dermo-cosmetic field.

Background of the invention

20 The use of macromolecules in the medical/pharmaceutical field and, more recently, in the dermatological-cosmetic field, is well established. Macromolecules are used in the preparation of pharmaceutical formulations as thickening agents, lubricants, gastro-resistant film coating agents, particularly in the preparation of capsules, gel, colloids and of different devices (e.g. contact lenses, gauzes, etc.). Macromolecules are also used in the preparation of controlled-release formulations of active ingredients.

Reviews of their characteristics and pharmaceutical uses are reported in

- 25 1) C. Hansch et Al. Editors - "Comprehensive Medicinal Chemistry" - Pergamon Press, Oxford, 1990 - Vol. 1-6;
- 2) A. Wade and P.J. Wellers Editors - "Handbook of Pharmaceutical Excipients" - Ed. 1994 - The Pharmaceutical Press.

Said macromolecules belong to different chemical families and may be either synthetic, or natural or semi-synthetic.

Examples of synthetic macromolecules include polyvinylpyrrolidone, polyoxyethylenealkyl ethers, polyvinyl alcohols, polymethacrylates. Examples
5 of natural macromolecules include native hyaluronic acid (HY) and cellulose.

Examples of semi-synthetic macromolecules include carboxyalkylcelluloses, widely used in the food and personal care industries. These macromolecules are characterized by a linear or poorly branched structure.

10 A very important modification for increasing the chemical, enzymatic and mechanical strength is provided by cross-linking, which may be carried out both on synthetic and natural (more or less already modified) polymers.

Examples of cross-linked polymers include polymers used for the gastro-protection of tablets or capsules (polymethacrylates), as well as polymers used
15 as emulsifiers, suspending agents, tablet hardeners (Carbopol), cross-linked hyaluronic acids, hereinafter discussed.

For the considered applications, and particularly for the preparation of invasive medical devices which have to be administered parenterally, said polymers must meet a number of requirements, of technical and regulatory
20 kind.

The technical requirements include:

- 1) high biocompatibility;
- 2) resistance to enzymatic systems, both tissular or plasmatic (for injectable compositions) and gastrointestinal (for oral compositions).

25 In some cases a gradual degradation, for instance for the controlled release of a medicament, may be desirable.

This resistance is particularly important when the macromolecule is present in compositions/articles that must last for a long time, e.g. substitutes

of the synovial liquid, films, sponges or gels as tissular antiadhesives in different kinds of surgery; in tissular engineering (artificial organs); artificial skins, in the treatment of burns and generally in aesthetic surgery;

3) moldability into different shapes (gels, films, sponges, etc.);

5 4) possibility to be sterilized chemically or physically without changing the product structure.

According to the regulatory requisites, the composition of the different production batches must be kept constant within very narrow limits; this implies that the production methods are standardized and that the base
10 components have a very low intrinsic variability.

A possible cause of dishomogeneity for macromolecules derives from the dispersion of molecular weights. Said dishomogeneity becomes even higher as a consequence of cross-linking. This may be a serious drawback depending on the field of use and the applicative purposes of the final product.

15 EP-A-566118 (Kimberly-Clark) discloses cross-linked polysaccharides to be used as super-absorbents for diapers and similar articles.

The process described therein is based on the cross-linking of cellulose by formation of intermolecular amides, esters or ethers between polyamines, polyols or mixtures thereof and the carboxy group of polysaccharides.

20 The reaction is carried out by heating at about 80°C the mixture of the polysaccharide with the polyol and/or polyamine. This process is certainly economic and suitable for large scale production where the reproducibility requirements are less stringent.

US 5465055 discloses cross-linked polysaccharides (hyaluronic acid and
25 alginic acid) obtained by esterification of COOH of the polysaccharide and OH groups of other molecules, without insertion of cross-linking arms.

WO 91/9119 discloses microcapsules for islets of Langerhans as biohybrid organs, consisting of alginic acid cross-linked with barium ions.

EP 190215 discloses the cross-linking of different polymers (carboxylated starches, dextran, celluloses) with di- or poly-functional epoxides.

The following cross-linking agents for hyaluronic acids have been proposed:

- 5 polyfunctional epoxides are disclosed in US 4716224, 4772419, 4716154;
- polyalcohols are disclosed in US 4957744;
- divinylsulfone is disclosed in US 4605691, 4636524;
- aldehydes are disclosed in US 4713448 and 4582865;
- carboxamides are disclosed in US 5356833;
- 10 polycarboxylic acids are disclosed in EP-A-718312.

Disclosure of the invention

The invention refers to a process for the preparation of cross-linked polysaccharides containing carboxy groups, allowing complete control of cross-linking degree as well as high reproducibility in terms of constant
15 characteristics of the final product.

The process of the invention comprises:

- a) activation of the carboxy groups of the polysaccharide by reaction with suitable carboxy activating agents in anhydrous aprotic solvent;
- b) reaction of the carboxy activated polysaccharide with a polyamine.

20 The obtained cross-linked polysaccharide, if desired, may be subjected to sulphation or hemisuccinylation of the free hydroxy groups.

The products obtainable by the process of the invention may also be complexed with metal ions such as zinc, copper or iron ions.

The carboxy-containing polysaccharide which may be used according to
25 the invention may be of natural, synthetic or semi-synthetic origin. Examples of said polysaccharides include Hyaluronic acids (obtained from tissues or bacteria), carboxymethyldextran, carboxymethylcellulose, carboxymethyl-starch, alginic acids, cellulosic acid, N-carboxy-methyl or butyl glucans or


chitosans; heparins with different molecular weights, optionally desulphated and succinylated, dermatan sulphates, Chondroitin sulphates, heparan sulphates, polyacrylic acids.

5 Hyaluronic acids, carboxymethylcellulose, heparins, alginic acids and polyacrylic acids are particularly preferred.


Said cross-linked polymers, obtained by different methods, are known and have been proposed for several uses (see, for instance, EP 566118, WO91/9119, US 5465055, EP 190215, EP 718312, US 4716224 discussed above).

10 The carboxy activating agents are usually those used in the peptide chemistry: examples of suitable agents include carbonyldiimidazole, carbonyltriazole, chloromethylpyridylum iodide (CMP-J), hydroxybenzotriazole, p-nitrophenol p-nitrophenyltrifluoroacetate, N-hydroxysuccinimide and the like. The use of chloromethylpyridylum iodide is particularly preferred.


The polyamines have preferably the following general formula:



wherein R_1 and R_2 , which are the same or different, are hydrogen, C_1 - C_6 alkyl, phenyl or benzyl groups, A is a C_2 - C_{10} alkylene chain, preferably a C_2 - C_6 alkylene chain, optionally substituted by hydroxy, carboxy, halogen, alkoxy, amino groups; a polyoxyalkylene chain of formula



wherein n is 2 or 3 and m is an integer from 2 to 10; a C_5 - C_7 cycloalkyl group; an aryl or hetaryl group, preferably 1,3 or 1,4-disubstituted benzene. A is preferably C_2 - C_6 linear alkylene or a chain of formula



The cross-linking reaction is preferably carried out in a solvent selected from tetrahydrofuran, dimethylformamide or dimethyl sulfoxide, and the

polysaccharide is preferably salified with a lipophilic cation, for example tetralkylammonium or other lipophilic organic bases.

The transformation of inorganic salts such as sodium salts, into suitable organic lipophilic salts may be carried out by known ion-exchange methods in
5 homogeneous phase or by precipitation of the acidic component, followed by recovering of the latter and salification with the desired organic base.

The activation reaction of the carboxy groups is carried out in homogeneous phase and in anhydrous polar aprotic solvent.

The polyamine diluted in the same anhydrous solvent, is added to the
10 solution of the activated ester, keeping the temperature from 0°C to 30°C. The cross-linking reaction times range from 1 to 12 hours, also depending on the optional presence of suitable basic substances (e.g. triethylamine).

Generally, the final product is recovered by precipitation of the organic salt adding a different solvent to the reaction solvent or by evaporation of the
15 latter, followed by centrifugation, washing with distilled water, repeated dispersions in the solutions of the desired alkali (for instance sodium, potassium), subsequent washing with water and final drying of the alkaline salt under vacuum or by lyophilization.

The cross-linking degree (C.L.D) may range within wide limits and may
20 be adjusted by changing the amount of the carboxy activating agents, since the activation and the cross-linking reaction are substantially quantitative.

The cross-linked polysaccharides obtained according to the invention may be subjected to sulphation reaction of the hydroxy groups possibly present, usually by reaction with the pyridine-sulfur trioxide complex in
25 dimethylformamide.

The reaction is carried out in heterogeneous phase at a temperature of 0-10°C for times ranging from about 0,5 to about 6 hours.

The sulphation degree obtained is comprised within wide limits with

respect to the total of the hydroxy groups and it may be adjusted by changing the temperature and reaction times. Generally, the sulphation degree (defined as equivalents of sulphate groups/g) may range from 1×10^{-6} to 6×10^{-6} , preferably it is of 2×10^{-6} eq/g for a cross-linking degree of 0.5.

5 The cross-linked polymers obtained according to the invention, optionally sulphated, are able to complex metal ions such as zinc, copper or iron ions.

Said complexes may be obtained by dissolving or dispersing until complete swelling the product in water and adding under stirring, preferably at room temperature, a concentrated solution of an organic or inorganic metal salt, e.g. CuCl_2 , ZnCl_2 , $\text{Fe}_2(\text{SO}_4)$; after stirring for 12-24 hours, the complex is recovered by centrifugation or by precipitation following the addition of a different solvent (for example ethanol or acetone) or evaporation under vacuum; the recovered crude product is thoroughly washed with distilled water so as to remove the excess ions. The complexes are then lyophilized. The content of metal ions varies depending on the used operative conditions, particularly the polymer to ion molar ratios; concentration and pH of the solutions; reaction times and particularly cross-linking degree.

The process of the invention, by suitably adjusting the cross-linking and/or sulphation degree, allows the preparation of cross-linked carboxylated polysaccharides in a wide range of shapes, characterized by different properties such as viscoelasticity, hydration degree, complexing ability towards metal ions, ability to form hydrogels, moldability in films or sponges, mechanical strength of the final materials.

This allows their use in many medical fields, in the human and veterinary field, and in dermo-cosmetology.

The following examples further illustrate the invention.

EXAMPLE 1:

Carboxymethylcellulose gel 100% cross-linked with 1,3-diaminopropane.

1,2 x 10⁻³ moles, with reference to the disaccharide unit of carboxymethyl cellulose TBA salt, were dissolved in 30 ml of DMF under N₂ and with stirring. 0.32 g of chloromethylpyridylium iodide (1.2 x 10⁻³ moles) dissolved in 2 ml of DMF were added dropwise to the solution kept at a temperature of 0° C with ice.

The molar ratio was 1 to 1 as carboxymethyl cellulose has one functional carboxylic group per disaccharide unit. After 20 minutes the solution was added with 2 ml of cross-linking 1,3-diaminopropane (0.006 moles), and immediately after also with 0.5 ml of triethylamine. A solid, jelly-like product formed which was washed with DMF, then placed in H₂O to completely swell.

Alternating washings with EtOH and H₂O were then carried out. After the last washing with EtOH, the product was freeze-dried.

- I.R. (film; cm⁻¹): 1650(-CO-NH-); no bending -COO⁻ at 1.400 about.
- SD (Swelling Degree, in water and r.t., after 15'; gravimetric determination; calculated according to: $SD = \frac{W_s - W_d}{W_d} \cdot 100$, where:

W_s = weight of hydrated gel; W_d = weight of dry gel): 7.000

- SEM (Scanning Electron Microscopy): the structure looks compact, with 15-35µ pers.
- The product surface, by rabbit PRP (Platelet Rich Plasma) exposure, shows a very reduced presence of platelets or aggregates in comparison with equivalent product obtained by low density polypropylene (EC reference standard).

EXAMPLE 2:

Carboxymethyl cellulose gel 50% cross-linked with 1,3-diaminopropane.

1,2 x 10⁻³ moles, referred to the disaccharide unit of carboxymethyl cellulose, were dissolved in 30 ml of DMF under N₂ and with stirring. 0.24 g of chloromethylpyridylium iodide (1.2 x 10⁻³ moles) dissolved in 2 ml of DMF were added dropwise to the solution kept at a temperature of 0° C with ice. The

molar ratio was 2/1.

After 20 minutes the solution was added with 2 ml of cross-linking 1,3-diaminopropane (3×10^{-3} moles), and immediately after also with 0.5 ml of triethylamine. A solid, jelly-like product formed which was washed with DMF, then placed in H_2O to completely swell.

Alternating washings with EtOH and H_2O were then carried out. After the last washing with EtOH the product was freeze-dried.

- I.R. (film; cm^{-1}): 1650($-\underline{CO}-NH-$); no bending $-\underline{COO}^-$ at 1.400 about.

- SD: 8.000

- SEM: presence of 13-25 μ pers.

- Platelet adhesion: as reported in Example 1.

EXAMPLE 3:

Alginate acid gel 50% (100% with reference to disaccharide units) cross-linked with 1,3-diaminopropane.

The TBA salt of alginate has been prepared from the sodium salt by ionic exchange on strong cationic resin (Dovex) in H^+ form (i.e. acidic form), followed by neutralization with tetrabutylammonium hydroxide (TBA-OH) and final lyophilisation.

$1,2 \times 10^{-3}$ moles, referred to the monosaccharide unit, were dissolved in 30 ml of DMF under N_2 and under stirring. 0.36 g of chloromethylpyridinium iodide ($1,2 \times 10^{-3}$ moles) dissolved in 2 ml of DMF were added dropwise to the solution kept at a temperature of $0^\circ C$ with ice. The molar ratio was 1/1.

After 20 minutes the solution was added with 6×10^{-3} moles of cross-linking 1,3-diaminopropane (0.024 moles), and immediately after also with 0.5 ml of triethylamine. A solid, jelly-like product formed which was washed with DMF, then placed in H_2O to completely swell.

Alternating washings with EtOH and H_2O were then carried out. After the last washing with EtOH the product was freeze-dried.

- IR (film; cm^{-1}): 1635 (broad) ($-\text{CO}-\text{NH}-$): 1.400, about ($-\text{COO}^-$).

- SD: 5.000

- SEM: the structure looks compact and without pores.

EXAMPLE 4:

- 5 Preparation of hyaluronic acid cross-linked with C.L.D. = 0.05 (5% of available carboxy groups). Cross-linking agent: 1,3-propanediamine.

Hyaluronic acid sodium salt (1×10^{-3} mol., with reference to the disaccharidic unit) were transformed in TBA salt, according to one of the following methods:

- 10 a) 1% aqueous solution of sodium hyaluronate is transformed in H^+ form by H^+ cationic strong resin (Amberlite IR 120); the final solution is treated by a 0,5% solution of TBA-OH to about $\text{pH}=9$.
b) 1% aqueous solution of sodium hyaluronate is transformed in TBA salt solution by treating with a cationic weak resin in TBA^+ form.
15 (Amberlite IRC 50)

In both cases, the final solutions are lyophilised. The TBA salt is then dissolved in 15 ml of anhydrous DMF, under N_2 , and - at 0°C - 0,02 g of chloromethylpyridylium Iodide (CMPJ) in 2 ml of anhydrous DMF, are added dropwise to the stored solution of TBA salt.

- 20 The reaction mixture was then added with 0.1 ml of triethylamine and, then, dropwise, with a solution of 1,3-diaminopropane ($d= 0.88$, in large excess, so as to make cross-linking of the activated carboxy groups easier) in 2 ml of anhydrous DMF. When the addition was over, the reaction mixture was stirred for at least 30' and the solvent was then removed under reduced
25 pressure, the residue was then taken up with DMF, which was subsequently removed by distillation; the residue was then treated with ethanol, ethanol-water and finally with water.

The product was then lyophilised and the residue subjected to analysis.

IR (film; cm^{-1}): 1630 ($-\underline{\text{CO}}-\text{NH}$); 1740 ($-\underline{\text{COOH}}$, polysaccharide); 3200
($-\text{NH}-$).

SD (Swelling Degree, in water and r.t., after 15'; gravimetric

5 determination; calculated according to: $\text{SD} = \frac{W_s - W_d}{W_d} \cdot 100$, where:

W_s = weight of hydrated gel; W_d = weight of dry gel): 31.000

Cross-linking degree: 0.05 (5% of initially available carboxy groups).

EXAMPLE 5:

10 Preparation of hyaluronic acid cross-linked with C.L.D. = 0.05 (5% of the available carboxy groups). Cross-linking agent: 1,6-diaminohexane.

Activator: chloromethylpyridylum iodide.

According to the procedure and conditions reported in Example 4, using the same HY and the same activator, but 1,6-diaminohexane instead of 1,3-
15 diaminopropane, the cross-linked derivative was obtained.

IR (film; cm^{-1}): 1630 ($-\underline{\text{CO}}-\text{NH}$); 1740 ($-\underline{\text{COOH}}$ polysaccharide); 3200
($-\text{NH}-$).

EXAMPLE 6:

20 Preparation of cross-linked hyaluronic acid, with C.L.D. = 0.05 (5% of the available carboxy groups). Cross-linking agent: 0.0'-bis-(2-aminopropyl)PEG500. Activator: chloromethylpyridylum iodide

According to the procedure and conditions reported in Example 4 and using the same activator, but 0.0'-bis-(2-aminopropyl)PEG500 instead of 1,3-
diaminopropane, the cross-linked derivative was obtained.

25 IR (film; cm^{-1}): 1630 ($-\underline{\text{CO}}-\text{NH}$); 1740 ($-\underline{\text{COOH}}$ polysaccharide); 3200
($-\text{NH}-$).

SD: 31.000

EXAMPLE 7:

Preparation of cross-linked hyaluronic acids, with C.L.D.= 0.3 (30% of the available carboxy groups). Cross-linking agent: 1,3-propanediamine. Activator: chloromethylpyridylum iodide.

5 0.6 g of hyaluronic acid tributylammonium salt (1×10^{-3} mol., with reference to the disaccharide unit) were dissolved under stirring in 30 ml of DMF under nitrogen. 0.08 g of chloromethylpyridylum iodide (3.5×10^{-4} mol) dissolved in 2 ml of DMF were added dropwise to the stirred solution kept at 0°C. The molar ratio was therefore about 3/1.

10 After 20 minutes 2 ml of 1,3-diaminopropane (0.024 mol) were added, followed immediately by 0.5 ml of triethylamine. A solid, gelatinous product was obtained, the product was then swelled with water and washed again with ethanol.

The final product, after lyophilisation, shows at the scanning microscope
15 an irregular pattern with smooth zones alternating to spongy zones.

The cross-linking degree was 0.3 (30% of initially available carboxy groups)

IR (film; cm^{-1}): 1740 ($-\text{COOH}$); 1630 ($-\text{CO}-\text{NH}$); 1610 ($-\text{COO}-$); 1560 ($-\text{CO}-\text{NH}-$)

20 **EXAMPLE 8:**

Preparation of hyaluronic acid cross-linked with C.L.D.= 0.5 (50% of the available carboxy groups). Cross-linking agent: 1,3-propanediamine. Activator: chloromethylpyridylum iodide.

0.6 g of hyaluronic acid tributylammonium salt (HY TBA) (1×10^{-3} mol.,
25 with reference to the disaccharide unit) were dissolved under stirring in 30 ml of DMF under nitrogen. 0.15 g of chloromethylpyridylum iodide (CMPJ) (6×10^{-6} mol) dissolved in 2 ml of DMF were added dropwise to the solution, kept at 0°C. The molar ratio was 2HY.TBA:1 CMPJ. After 20 minutes, 2 ml of

1,3 diaminopropane (0.024 mol.) were added to the solution.

0.5 ml of triethylamine were added thereafter.

A solid, gelly-like product was obtained and thoroughly washed with DMF.

5 After evaporating DMF, the product was swelled in water and washed with ethanol before lyophilization.

The obtained product had a cross-linking degree of 0.5 and showed at the scanning microscope a grainy aspect interspaced by large meshes. At higher magnitudes, the two morphologies appear identical and show round-shaped protrusions a few microns in diameter.

IR (film; cm^{-1}): 1740 ($-\text{COOH}$); 1630 ($-\text{CO-NH-}$); 1610 ($-\text{COO}^-$); 1560 ($-\text{CO-NH-}$);

The gels were subjected to swelling in PBS and the max swelling ability was evaluated.

15 SD= 23.500

NMR = (13 C; ppm): 29.3 and 39.8 ($-\text{CH}_2-\text{CH}_2-\text{CH}_2-$ propanediamine link); 172.5 ($-\text{C}(=\text{O})-\text{NH}-\text{CH}_2-\text{CH}_2-\text{CH}_2-$)

20 The rheological properties evaluated on Bohlin VOR Rheometer, at the temperature of $23 \pm 0.1^\circ\text{C}$, show that the dynamic elastic module G' (100Pa at 10Hz) identical at the two considered concentrations (10 and 20 mg/ml) is always higher than the viscous dynamic module (G'' 40 Pa for 20 mg at 10Hz and 20 Pa for 10 mg at 10Hz).


25 EXAMPLES 9 - 12

According to the methods disclosed in the previous examples, the cross-linked hyaluronic acid derivatives having the characteristics summarised in the following table 1, were obtained, starting from 1×10^{-3} mol (0.6 g) of hyaluronic

acid tributylammonium salt.

The obtained derivatives had the following properties:

TABLE I

Ex	Cross-linking agent (mol)	Amount (g) of CMPJ (mol)	Cross-linking degree	SD	NMR (13) (ppm)	I.R. (film) (cm ⁻¹)	Scanning Electron Microscopy (SEM)
9	1,3-propanediamine (0.024)	0,6g (1.210 ⁻³)	(100%)	13.200	29.3/39.8 (-CH ₂ -CH ₂ -CH ₂ -propanediamine link); 172.5 (-C(=O)-NH-CH ₂ -CH ₂ -CH ₂ -) 	1630 (-CO-NH-); 1560 (-CO-NH-);	Homogeneous, undulated morphology.
10	0,0'-1-bis-(-2-diaminopropyl) PEG 500 (0.022)	0,15g (6x10 ⁻⁴)	(50%)	9.000			Alternating smooth areas and meshes, circular protrusions a few microns in size.
11	0,0'-bis (2-aminopropyl) - PEG 800 (0.022)	0,15g (6x10 ⁻⁴)	(50%)	6.100			Two morphologically different zones, a first one undulated and a second with hole-like structures.
12	1,6-diaminohexane (0.023)	0,15g (6x10 ⁻⁴)	(50%)	8.000	169.46(-CO-NH- of cross-linking); 74.04/76.80/83.17/80.41(-CH2- of cross-linking arm)	1740 (-COOH); 1630 (-CO-NH-); 1610 (-COO-); 1560 (-CO-NH-);	Smooth surface with protrusions having a few microns in size.

EXAMPLE 13:

Sulphation of 50% cross-linked HY,

The derivative obtained in example 8 was dispersed in 5 ml DMF under strong stirring and nitrogen atmosphere.

- 5 A solution of 1 g of SO_3 /pyridine in mol of DMF was added at 0°C and stirred for 3 hours. The reaction was blocked by adding an excess of H_2O (50 ml) and the pH adjusted to 9 with 0.1M NaOH.

The product was thoroughly washed with ethanol and H_2O and then lyophilized.

- 10 The IR spectrum shows, in addition to the bands of the starting product, a peak at 1260 cm^{-1} and a stronger band at 1025 cm^{-1} .

- The gel swells in PBS with $\text{SD} = 33.000$. Higher resolution ^{13}C NMR spectrum shows the signals in H_2O at 37°C reported in table 2. The intensity of the NMR signals at 29.3 and 38.8 ppm ($-\text{CH}_2-$) and the signal at 172.5 ppm
15 (CONH) confirm a cross-linking degree of about 50%.

- The rheological properties are characterised by dynamic elastic modules G' (2500Pa with 20 mg and 1000 Pa with 10 mg at 10Hz) which are always higher than the dynamic viscous modules G'' (600Pa with 20 mg and 150 Pa with 10 mg at 10Hz) and much higher than the corresponding values obtained
20 with non-sulphated HY (13 at 50% - example 5). This compound has a thrombin time (TT) higher ($61 \pm 5''$) than the control ($14.0''$) and the corresponding not cross-linked ($14.6''$).

The compound was also active in the PRP test using stressed rabbit.

TABLE 2

Table: ^{13}C Chemical shift

C-1	C-2	C-3	C-4	C-5	x-C=O	y-CH ₃	
103.5	57.3	85.4	71.3	78.7	178.0	25.3	ppm
C-1'	C-2'	C-3'	C-4'	C-5'	6-C=O		
105.9	75.2	76.4	82.8	78.6	176.2		ppm
1-CH ₂	2-CH ₂	3-CH ₂	6'-C=O	CROSS- LINKING			
39.8	29.3	39.8	172.5				ppm

5 **EXAMPLE 14:**

Sulphation of Alginic acid GEL

The cross-linked product after treatment with EtOH was freeze-dried to remove completely humidity and subjected to sulphation of the alcohol groups.

100 mg of cross-linked product dispersed in 5 ml of DMF were added with a SO₃-pyridine solution of (800 mg in 2 ml of DMF). The reaction should be carried out at 0° C, under nitrogen and with constant stirring for 2 hours.

It is mandatory for the product not to adsorb humidity, as it inhibits the reaction.

After 2 hours H₂O was added pH was adjusted to 9 by a 1M solution of NaOH, thereby freeing pyridine.

The thus sulphated product was purified in EtOH.

The analysis of purified products, shows:

- IR (film; cm⁻¹) 1263 (stretching SO)
- Equivalents of SO₃ groups/g gel (by toluidine complexes):

20 5% cross linked gel: 6×10^{-5}

50% cross linked gel: 2×10^{-5}

100% cross linked gel: 3×10^{-5}

SD

5% cross linked gel: 19×10^{-3}

50% cross linked gel: 9×10^{-3}

100% cross linked gel: 7×10^{-3}

5 EXAMPLE 15:

Using the same methodology, the sulphated derivatives of 50% cross-linked products according to example 10, 11 and 12, have been synthesized.

Colorimetric characteristics of the sulphated derivatives are reported in table 3 together with that of the products deriving from examples 8 and 13.

TABLE 3

CROSSLINKED (50% DEGREE)	POLYMER CROSS-LINKING	ΔH_a [J/g]	T_g [°C]	ΔH_b [J/g]	Wt % water
C.L.Hyal - 1,3 (Ex. 8)		276	51	42	12
C.L.HyalS - 1,3 (Ex. 13)		357	64	53	16
C.L.Hyal - 1,6 (Ex. 12)		327	64	58	16
C.L.HyalS - 1,6		465	64	65	20
5 C.L.Hyal - P500.2NH ₂ (Ex. 10)		239	45	72	10
6 C.L.HyalS - P500.2NH ₂		384	69	113	16
7 C.L.Hyal - P800.2NH ₂ (Ex. 11)		179	73	30	10
8 C.L.HyalS - P800.2NH ₂		206	76	52	10
Hyal ITBA		164	- -	130	5

 ΔH_a [J/g]: water vaporization henthalpy T_g [°C]:

enthalpy for thermal degradation process

 ΔH_b [J/g]: glass transition temperateWt % water: % of water content, based on ΔH_a

EXAMPLE 16:

Suphation of carboxymethylcellulose gel.

Following the procedure and conditions reported in Example 14, the sulphated derivative was obtained.


- 5 - Equivalents of SO_3 groups/g:
- a- CMC 5% cross linked: 8×10^{-6}
 - b- CMC 50% cross linked: 7×10^{-6}
 - c- CMC 100% cross linked: 4×10^{-6}

SD

- 10 a: 20×10^{-3}
- b: 12×10^{-3}
 - c: 9×10^{-3}


CLAIMS

1. A process for the preparation of cross-linked polysaccharides containing carboxy groups, comprising:
 - 5 a) activation of the carboxy groups of the polysaccharide by reaction with suitable carboxy activating groups in anhydrous aprotic solvent;
 - b) reaction of the carboxy activated polysaccharide with a polyamine.
2. A process according to claim 1, wherein the polysaccharide is selected from Hyaluronic acids (obtained from tissues or bacteria),
 - 10 carboxymethyldextran, carboxymethylcellulose, carboxymethylstarch, alginic acids, cellulosic acid, N-carboxy-methyl or butyl glucans or chitosans; heparins with different molecular weights, optionally desulphated and succinylated, dermatan sulphates, chondroitin sulphates, heparan sulphates, polyacrylic acids.
- 15 3. A process according to claim 1 or 2, wherein the carboxy activating agent is selected from carbonyldiimidazole, carbonyltriazole, chloromethylpyridylium iodide (CMP-J), hydroxybenzotriazole, p-nitrophenol p-nitrophenyltrifluoroacetate, N-hydroxysuccinimide.
4. A process according to any one of claims 1 to 3, wherein the
 - 20 polyamines have the following general formula:



wherein R_1 and R_2 , which are the same or different, are hydrogen, C_1-C_6 alkyl, phenyl or benzyl groups, A is a C_2-C_{10} alkylene chain, preferably a C_2-C_6 alkylene chain, optionally substituted by hydroxy, carboxy, halogen,

- 25 alkoxy, amino groups; a polyoxyalkylene chain of formula



wherein n is 2 or 3 and m is an integer from 2 to 10; a C_5-C_7 cycloalkyl group; an aryl or hetaryl group, preferably 1,3 or 1,4-disubstituted benzene.

5. A process according to any one of claims 1 to 4, wherein the

polysaccharide is salified with lipophilic cations.

6. A process according to claim 5, wherein the lipophilic cation is tributyl or tetralkyl ammonium.

7. A process according to any one of claims 1 to 6, wherein the cross-
5 linking reaction is carried out in anhydrous dimethylformamide or tetrahydrofuran.

8. A process according to any one of claims 1 to 7, wherein the obtained cross-linked polysaccharide is further subjected to sulfation of the hydroxy groups by reaction with the pyridine/sulfur trioxide complex.

10 9. A process according to claim 8, wherein the sulfation reaction is carried out in dimethylformamide in heterogeneous phase at 0-10°C for times from about 0.5 to about 6 hours.

10. A process according to any one of claims 1 to 9, wherein the cross-linked, optionally sulfated polysaccharide, is further subjected to
15 complexation reaction with aqueous solutions of copper, zinc or iron ions.

11. Cross-linked polysaccharides obtainable by the process of claims 1 to 10.

8028v
1757

DECLARATION AND POWER OF ATTORNEY

U.S.A.

As a below-named inventor, I hereby declare: My residence, post office address and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled Cross-linking process of carboxylated polysaccharides, the specification of which

(check) ☐ is attached hereto,
(one)

☒ was filed on April 30, 2001 as Application Serial No. 09/830,744

and was amended on April 30, 2001 (if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above, and acknowledge a duty to disclose information which is material to the examination of this application under 37 CFR 1.56(a). I hereby claim priority benefits under 35 U.S.C. 119 based on any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate on the present invention, filed before the application(s) on which priority is claimed.

FOREIGN APPLICATION(S), IF ANY, REFERRED TO ABOVE			
COUNTRY	APPLICATION NUMBER	DATE	PRIORITY CLAIMED
Italy	MI98A002443	11.11.1998	YES <u>XX</u> NO
			YES NO
			YES NO

I hereby claim benefit under 35 U.S.C. 120 of any U.S. application(s) listed below. If the subject matter of any claim(s) of this application is not disclosed in the prior U.S. application(s) as required by paragraph one of 35 U.S.C. 112, I acknowledge a duty to disclose material information as defined in 37 CFR 1.56(a) regarding occurrences between the filing date of the prior application(s) and the national or PCT international filing date of this application:

APPLICATION SERIAL NUMBER	DATE	STATUS

I hereby appoint Walter H. Schneider
Reg. No. 16812

Burton A. Amernick
Reg. No. 24852

my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Address all communications to Walter H. Schneider

5715 Strathmore Lane, Dublin, Oh, 43017

All statements made herein of my own knowledge are true. All statements made on information and belief are believed to be true. These statements were made with the knowledge that willful false statements and the like so made are punishable by fine, imprisonment, or both, under 18 U.S.C. 1001 and may jeopardize the validity of the application or any patent issuing thereon.

Note: Please sign one full given name and your surname, using initials where appropriate for other names. It is important that the name be consistent throughout the application papers. Signing of an application more than five weeks prior to filing or an undated application is not acceptable to the Patent and Trademark Office except for receiving an initial filing date.

1. Full name of inventor BARBUCCI Rolando Date: 02.05.2001
Inventor's signature [Signature]
Residence Piazzale Aquileia, 8 - Milano, Italy ITX
Citizenship Italian
Post Office Address same as above

2. Full name of inventor SPORTOLETTI Giancarlo Date: 02.05.2001
Inventor's signature [Signature]
Residence Piazzale Aquileia, 8 - Milano, Italy ITX
Citizenship Italian
Post Office Address same as above